

SAFETY DATA SHEET

Issuing Date 06-Apr-2015

Revision Date: 06-Apr-2015

Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name Product Code Product Class Color Recommended use Restrictions on use

NATURA WATERBORNE INTERIOR PAINT FLAT FINISH BASE 4 5124X WATER THINNED PAINT All Paint No information available

Manufacturer

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Phone: 855-724-6802 www.benjaminmoore.com

Only Representative (OR)

ITS Testing Services (UK) Ltd. Bainbridge House 86-90 London Road Manchester United Kingdom M1 2PW e-mail: ies01.reach@intertek.com

Emergency Telephone Number(s) CHEMTREC: +1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)

Section 2: HAZARDS IDENTIFICATION

<u>2.1.</u>

REGULATION (EC) No 1272/2008 Skin sensitization

Category 1 - (H317)

Classification according to EU Directives 67/548/EEC or 1999/45/EC For the full text of the *R* phrases mentioned in this Section, see Section 16

Symbol(s) Xi - Irritant

R43

2.2.

Product Identifier



Hazard statements H317 - May cause an allergic skin reaction

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear eye protection/ face protection P302 + P352 - IF ON SKIN: Wash with plenty of soap and water P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

2.3.

General Hazards

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2 Mixtures

Chemical Name	EINECS/ELINCS No.	CAS-No	Weight % (max)	EU Classification	EU - GHS Substance Classification	REACH No.
Silica, amorphous	231-545-4	7631-86-9	5	Unclassified		Not available
5-Chloro-2-methyl-3(2H)- isothiazolone mixture with 2-methyl- 3(2H)-isothiazolone (3:1)	-	55965-84-9	0.005	T; R23/24/25 C; R34 R43 N; R50-53	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Acute Tox. 3 (H331) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available

For the full text of the R phrases mentioned in this Section, see Section 16 Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

Section 4: FIRST AID MEASURES

4.1.

Description of first aid measures **General Advice** No hazards which require special first aid measures. **Eye Contact** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Wash off immediately with soap and plenty of water **Skin Contact** removing all contaminated clothes and shoes. Inhalation Move to fresh air. If symptoms persist, call a physician. Clean mouth with water and afterwards drink plenty of water. Ingestion Consult a physician if necessary. 4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects	May cause allergic skin reaction.
<u>4.3.</u>	
Indication of any immediate medical attention and sp	pecial treatment needed

Notes To Physician

Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

<u>5.1.</u>	
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	No information available
<u>5.2.</u>	
Specific Hazards Arising From The Chemical	Closed containers may rupture if exposed to fire or extreme heat.
Sensitivity To Static Discharge	No
Sensitivity To Mechanical Impact	No
<u>5.3.</u>	
Protective Equipment And Precautions For Firefighters	Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

<u>6.1.</u>	
Personal Precautions	Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.
Other Information	Observe all relevant local and international regulations.
<u>6.2.</u>	
Environmental Precautions	Prevent further leakage or spillage if safe to do so.
<u>6.3.</u>	
Methods For Containment	Aborb with inert material and place in suitable container for disposal.
Methods For Clean-Up	Clean contaminated surface thoroughly.
<u>6.4.</u>	
Other information	See Section 12 for additional information.
Section 7: HANDLING AND STORAGE	
<u>7.1.</u>	
Handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.
Hygiene Measures	Wash thoroughly after handling.
<u>7.2.</u>	
Storage	Keep container tightly closed. Keep out of the reach of children.
7.3.	

Specific Uses

Risk Management Methods (RMM)

Not Applicable

Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

<u>8.1.</u>

Exposure limits

5124X - NATURA WATERBORNE INTERIOR PAINT FLAT FINISH BASE 4

Chemical Name	EU	United Kingdom	Belgium	Bulgaria	Cyprus	Greece
Silica, amorphous		TWA: 2.4 mg/m ³				
7631-86-9		TWA: 6 mg/m ³				
		STEL: 18 mg/m ³				
		STEL: 7.2 mg/m ³				

Chemical Name	Ireland	Latvia	Lithuania	Poland	Romania	Spain
Silica, amorphous	TWA: 6 mg/m ³	TWA: 1 mg/m ³				
7631-86-9	TWA: 2.4 mg/m ³	_				

8.2.

Occupational exposure controls

Engineering Measures	Ensure adequate ventilation, especially in confined areas
Personal Protective Equipment	
Respiratory Protection	In case of insufficient ventilation wear suitable respiratory equipment.
Eye Protection	Safety glasses with side-shields.
Skin Protection	Lightweight protective clothing
Hand protection	Impervious gloves
Hygiene Measures	Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

<u>9.1.</u>

Appearance Odor Odor Threshold liquid little or no odor No information available

Property	Values	Remarks/ Method
Density (g/L)	1222 - 1258	None known
Relative Density	1.22 - 1.26	None known
рН	No information available	None known
Viscosity (cps)	No information available	None known
Solubility	No information available	None known
Water Solubility	No information available	None known
Evaporation Rate	No information available	None known
Vapor Pressure	No information available	None known
Vapor Density	No information available	None known
Wt. % Solids	50 - 60	None known
Vol. % Solids	40 - 50	None known
Wt. % Volatiles	40 - 50	None known
Vol. % Volatiles	50 - 60	None known
VOC Regulatory Limit (g/L)	0	None known
Boiling Point (°C)	100	None known
Freezing Point (°C)	0	None known
Melting Point (°C)	No information available	None known
Flash Point (°C)	Not applicable	None known
Flammability (solid, gas)	No information available	None known
Upper Explosion Limit	No information available	None known
Lower Explosion Limit	No information available	None known
Autoignition Temperature (°C)	No information available	None known
Decomposition Temperature (°C)	No information available	None known
Partition Coefficient (n-octanol/water)	No information available.	None known
Explosive properties	No information available	None known
Oxidizing Properties	No information available	None known

Section 10: STABILITY AND REACTIVITY

<u>10.1.</u>	
Reactivity	Not Applicable
<u>10.2.</u>	
Chemical Stability	Stable under normal conditions
<u>10.3.</u>	
Possibility Of Hazardous Reactions	None under normal conditions of use
<u>10.4.</u>	
Conditions To Avoid	Prevent from freezing
<u>10.5.</u>	
Incompatible Materials	No materials to be especially mentioned

<u>10.6.</u>

Hazardous Decomposition Products

None under normal use

Section 11: TOXICOLOGICAL INFORMATION

<u>11.1.</u>

Product Information

There is no data available for this product
There is no data available for this product.
There is no data available for this product.
There is no data available for this product.

Acute Toxicity

Component

Chemical Name	LD50 Oral:	LD50 Dermal:	LC50 Inhalation:
Silica, amorphous	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.2 mg/L (Rat)1 h
7631-86-9			

Skin corrosion/irritation	No information available.
Eye damage/irritation	No information available.
Sensitization:	May cause sensitization by skin contact.
Mutagenic Effects	No information available.
Carcinogenic effects The table below indicates whether each agency has listed a	any ingredient as a carcinogen
IARC - International Agency for Research on Cancer	
Reproductive Effects	No information available.
Developmental Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Neurological Effects	No information available.
Target Organ Effects:	No information available.
Symptoms	No information available
Aspiration Hazard	No information available

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Freshwater Algae Data	Freshwater Fish Species Data	Water Flea Data
Silica, amorphous	EC50 = 440 mg/L (72 h)	LC50 = 5000 mg/L Brachydanio rerio	EC50 = 7600 mg/L (48 h)
7631-86-9		(96 h)	

12.2.

Persistence / Degradability	No information available.
<u>12.3.</u>	
Bioaccumulation / Accumulation	No information available.
<u>12.4.</u>	
Mobility in soil	No information available.
Mobility in Environmental Media	No information available.
<u>12.5.</u>	
PBT and vPvB assessment	No information available.
<u>12.6.</u>	
Other adverse effects	No information available.

Section 13: DISPOSAL CONSIDERATIONS

<u>13.1.</u>

Waste from Residues/Unused Products	Dispose of in accordance with the European Directives on waste and hazardous waste.
Contaminated Packaging	Empty containers should be taken for local recycling, recovery or waste disposal.
EWC waste disposal No	No information available.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG / IMO	Not regulated
RID	Not regulated
ADR	Not regulated
ADN	Not regulated
IATA	Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number
Silica, amorphous	RG 25
7631-86-9	
5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1)	-
55965-84-9	

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

DSL: CanadaYes - All components are listed or exempt.EINECS: European UnionNo - Not all of the components are listed.ENCS : JapanNo - Not all of the components are listed.
ENCS : Japan No - Not all of the components are listed.
IECS : China No - Not all of the components are listed.
KECL: South Korea No - Not all of the components are listed.
PICCS: Philippines No - Not all of the components are listed.
TSCA: United States Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

<u>15.2.</u>

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Text of R phrases mentioned in Sections 2 & 3

R53 - May cause long-term adverse effects in the aquatic environment
R50 - Very toxic to aquatic organisms
R34 - Causes burns
R43 - May cause sensitization by skin contact
R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed
R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Full text of H-Statements referred to under section 3

 H301 - Toxic if swallowed H311 - Toxic in contact with skin H314 - Causes severe skin burns and eye damage H331 - Toxic if inhaled H317 - May cause an allergic skin reaction H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects 		
Classification procedure:	Expert judgment and weight of evidence determination	
Key literature references and sources for data	Data from internal and external sources	
Prepared By	Product Stewardship Department Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 855-724-6802	
Issuing Date	06-Apr-2015	
Revision Date:	06-Apr-2015	
Revision Summary	Change to Format	

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet