

## SAFETY DATA SHEET

Issuing Date 07-Apr-2015

Revision Date: 07-Apr-2015

Revision Number: 1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### **Product Name**

Product Code Product Class Color Recommended use Restrictions on use

### REGAL SELECT WATERBORNE INTERIOR PEARL FINISH -WHITE 55001 WATER THINNED PAINT

WATER THINNED PAINT White Paint No information available

### Manufacturer

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Phone: 855-724-6802 www.benjaminmoore.com

### **Only Representative (OR)**

ITS Testing Services (UK) Ltd. Bainbridge House 86-90 London Road Manchester United Kingdom M1 2PW e-mail: ies01.reach@intertek.com

#### Emergency Telephone Number(s) CHEMTREC: +1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)

### Section 2: HAZARDS IDENTIFICATION

### <u>2.1.</u>

REGULATION (EC) No 1272/2008 Skin sensitization

Category 1 - (H317)

### Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R phrases mentioned in this Section, see Section 16

Symbol(s) Xi - Irritant

# R43

<u>2.2.</u>

**Product Identifier** 



Hazard statements H317 - May cause an allergic skin reaction

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear eye protection/ face protection P302 + P352 - IF ON SKIN: Wash with plenty of soap and water P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

<u>2.3.</u>

**General Hazards** 

No information available.

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Not applicable

#### 3.2 Mixtures

Chemical Name	EINECS/ELINCS No.	CAS-No	Weight % (max)	EU Classification	EU - GHS Substance Classification	REACH No.
Titanium dioxide	236-675-5	13463-67-7	20	Unclassified		Not available
Kaolin	310-194-1	1332-58-7	10	Unclassified		Not available
2-Methyl-4-isothiazolin-3-one	220-239-6	2682-20-4	0.005	C;R34 Xn;R22 T;R23 R43 N; R50	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Acute 1 (H400)	Not available

For the full text of the R phrases mentioned in this Section, see Section 16 Full text of H- and EUH-phrases: see section 16

### Section 4: FIRST AID MEASURES

### <u>4.1.</u>

Description of first aid measures	
General Advice	No hazards which require special first aid measures.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.
<u>4.2.</u>	
Most important symptoms and effects, both acute and o	delayed
Most Important Symptoms/Effects	May cause allergic skin reaction.
<u>4.3.</u>	
Indication of any immediate medical attention and spec	ial treatment needed
Notes To Physician	Treat symptomatically.

### Section 5: FIRE FIGHTING MEASURES

### <u>5.1.</u>

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	No information available
<u>5.2.</u>	
Specific Hazards Arising From The Chemical	Closed containers may rupture if exposed to fire or extreme heat.
Sensitivity To Static Discharge	No
Sensitivity To Mechanical Impact	No
<u>5.3.</u>	
Protective Equipment And Precautions For Firefighters	Wear self-contained breathing apparatus and protective suit.

### Section 6: ACCIDENTAL RELEASE MEASURES

<u>6.1.</u>	
Personal Precautions	Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.
Other Information	Observe all relevant local and international regulations.
<u>6.2.</u>	
Environmental Precautions	Prevent further leakage or spillage if safe to do so.
<u>6.3.</u>	
Methods For Containment	Aborb with inert material and place in suitable container for disposal.
Methods For Clean-Up	Clean contaminated surface thoroughly.
<u>6.4.</u>	
Other information	See Section 12 for additional information.
Section 7: HANDLING AND STORAGE	
7.1.	

Handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.
Hygiene Measures	Wash thoroughly after handling.
7.2.	
Storage	Keep container tightly closed. Keep out of the reach of children.
<u>7.3.</u>	
Specific Uses	Architectural coating. Apply as directed. Refer to product label / literature for specific instructions.
Risk Management Methods (RMM)	Not Applicable

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

<u>8.1.</u>

### **Exposure limits**

Chemical Name	EU	United Kingdom	Belgium	Bulgaria	Cyprus	Greece
Kaolin		TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 3.0 mg/m <sup>3</sup>		
1332-58-7		STEL: 6 mg/m <sup>3</sup>	-	TWA: 6.0 mg/m <sup>3</sup>		

#### 55001 - REGAL SELECT WATERBORNE INTERIOR PEARL FINISH - WHITE

Chemical Name	EU	United Kingdom	Belgium	Bulgaria	Cyprus	Greece
Titanium dioxide 13463-67-7		TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10.0 mg/m <sup>3</sup>		TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>

Chemical Name	Ireland	Latvia	Lithuania	Poland	Romania	Spain
Kaolin 1332-58-7	TWA: 2 mg/m <sup>3</sup>			NDS: 10.0 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	VLA-ED: 2 mg/m <sup>3</sup>
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 10.0 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> STEL: 15 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>

8.2.

**Occupational exposure controls** 

Engineering Measures

Personal Protective Equipment

**Respiratory Protection** 

**Eye Protection** 

**Skin Protection** 

Hand protection

Hygiene Measures

In case of insufficient ventilation wear suitable respiratory equipment.

Ensure adequate ventilation, especially in confined areas

Safety glasses with side-shields.

Lightweight protective clothing

Impervious gloves

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

<u>9.1.</u>

Appearance Odor Odor Threshold liquid little or no odor No information available

#### Property

10 1

Density (g/L) **Relative Density** pН Viscosity (cps) Solubility Water Solubility **Evaporation Rate** Vapor Pressure Vapor Density Wt. % Solids Vol. % Solids Wt. % Volatiles Vol. % Volatiles VOC Regulatory Limit (g/L) **Boiling Point (°C)** Freezing Point (°C) Melting Point (°C) Flash Point (°C) Flammability (solid, gas) **Upper Explosion Limit** Lower Explosion Limit Autoignition Temperature (°C) **Decomposition Temperature (°C)** Partition Coefficient (n-octanol/water) **Explosive properties Oxidizing Properties** 

#### Values

No data available
1.29
No information available
50 - 60
35 - 45
40 - 50
55 - 65
0
100
0
No information available
Not applicable
No information available
No information available.
No information available
No information available

**Remarks**/ Method None known None known

### Section 10: STABILITY AND REACTIVITY

10.1.	
Reactivity	Not Applicable
<u>10.2.</u>	
Chemical Stability	Stable under normal conditions
<u>10.3.</u>	
Possibility Of Hazardous Reactions	None under normal conditions of use
<u>10.4.</u>	
Conditions To Avoid	Prevent from freezing
10.5.	
Incompatible Materials	No materials to be especially mentioned

### 10.6.

**Hazardous Decomposition Products** 

None under normal use

### Section 11: TOXICOLOGICAL INFORMATION

### <u>11.1.</u>

### **Product Information**

ere is no data available for this product
ere is no data available for this product.
ere is no data available for this product.
ere is no data available for this product.

#### Acute Toxicity

#### Component

Chemical Name	LD50 Oral:	LD50 Dermal:	LC50 Inhalation:
Titanium dioxide	> 10000 mg/kg (Rat)		
13463-67-7			

Skin corrosion/irritation	No information available.
Eye damage/irritation	No information available.
Sensitization:	May cause sensitization by skin contact.
Mutagenic Effects	No information available.

### **Carcinogenic effects**

The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	EU Annex I Carcinogen Information	IARC
Titanium dioxide		2B - Possible Human Carcinogen
13463-67-7		

 Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

IARC - International Agency for Research on Cancer

Reproductive Effects	No information available.
Developmental Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.

Neurological Effects	No information available.
Target Organ Effects:	No information available.
Symptoms	No information available
Aspiration Hazard	No information available

### Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

The environmental impact of this product has not been fully investigated.

<u>12.2.</u>	
Persistence / Degradability	No information available.
<u>12.3.</u>	
Bioaccumulation / Accumulation	No information available.
12.4.	
12.4.	
Mobility in soil	No information available.
Mobility in Environmental Media	No information available.
<u>12.5.</u>	
PBT and vPvB assessment	No information available.
<u>12.6.</u>	
Other adverse effects	No information available.

### Section 13: DISPOSAL CONSIDERATIONS

### <u>13.1.</u>

Waste from Residues/Unused Products	Dispose of in accordance with the European Directives on waste and hazardous waste.
Contaminated Packaging	Empty containers should be taken for local recycling, recovery or waste disposal.
EWC waste disposal No	No information available.

### **Other Information**

Waste codes should be assigned by the user based on the application for which the product was used.

### Section 14: TRANSPORT INFORMATION

IMDG / IMO	Not regulated
RID	Not regulated
ADR	Not regulated
ADN	Not regulated
IATA	Not regulated

### Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number
Titanium dioxide	-
13463-67-7	
Kaolin	-
1332-58-7	
2-Methyl-4-isothiazolin-3-one	-
2682-20-4	

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### International Inventories

AICS: Australia DSL: Canada	No - Not all of the components are listed. No - Not all of the components are listed. One or more component is listed on NDSL.
EINECS: European Union ENCS : Japan	No - Not all of the components are listed. No - Not all of the components are listed.
IECS : China	No - Not all of the components are listed.
KECL: South Korea PICCS: Philippines TSCA: United States	No - Not all of the components are listed. No - Not all of the components are listed. Yes - All components are listed or exempt.

#### Legend

AICS - Australian Inventory of Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List IECSC - China Inventory of Existing Chemical Substances EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

#### 15.2.

Chemical Safety Report

No information available

### Section 16: OTHER INFORMATION

### Text of R phrases mentioned in Sections 2 & 3

R34 - Causes burns R50 - Very toxic to aquatic organisms R43 - May cause sensitization by skin contact R23 - Toxic by inhalation R22 - Harmful if swallowed R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

### Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed
H311 - Toxic in contact with skin
H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H335 - May cause respiratory irritation
H400 - Very toxic to aquatic life

Classification procedure:	Expert judgment and weight of evidence determination
Key literature references and sources for data	Data from internal and external sources
Prepared By	Product Stewardship Department Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 855-724-6802
Issuing Date	07-Apr-2015
Revision Date:	07-Apr-2015
Revision Summary	Change to Format
Disalsimor	

Disclaimer

. . .

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

### End of Safety Data Sheet