

# **SAFETY DATA SHEET**

Issuing Date 24-Aug-2015 Revision Date: 24-Aug-2015 Revision Number: 1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name STUDIO FINISHES CHALKBOARD PAINT BLACK

 Product Code
 30780

 Product List
 30780 G5

Product Class WATER THINNED PAINT

ColorBlackRecommended usePaint

Restrictions on use No information available

ManufacturerOnly Representative (OR)Benjamin Moore & Co.ITS Testing Services (UK) Ltd.101 Paragon DriveBainbridge House

Montvale, NJ 07645 86-90 London Road Phone: 855-724-6802 Manchester Www.benjaminmoore.com United Kingdom

M1 2PW

e-mail: ies01.reach@intertek.com

**Emergency Telephone Number(s)** 

CHEMTREC:

+1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)

# **Section 2: HAZARDS IDENTIFICATION**

2.1.

REGULATION (EC) No 1272/2008

Skin sensitization Category 1 - (H317)

2.2.

#### **Product Identifier**

Contains 2-Methyl-4-isothiazolin-3-one, 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1)



30780 - STUDIO FINISHES CHALKBOARD PAINT **BLACK** 

Revision Date: 24-Aug-2015

#### **Hazard statements**

H317 - May cause an allergic skin reaction

## Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

2.3.

**General Hazards** No information available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1. Substances

Not applicable

#### 3.2 Mixtures

Chemical Name	EINECS/ELINCS No.	CAS-No	Weight % (max)	EU - GHS Substance Classification	REACH No.
Titanium dioxide	236-675-5	13463-67-7	5		Not available
Distillates (petroleum), solvent-dewaxed heavy paraffinic	265-169-7	64742-65-0	5	Asp. Tox. 1 (H304)	Not available
2-Methyl-4-isothiazolin-3-one	220-239-6	2682-20-4	0.01	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Acute 1 (H400)	Not available
5-Chloro-2-methyl-3(2H)-isothi azolone mixture with 2-methyl-3(2H)-isothiazolone (3:1)	-	55965-84-9	0.005	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Acute Tox. 3 (H331) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available

Full text of H- and EUH-phrases: see section 16

# **Section 4: FIRST AID MEASURES**

<u>4.1.</u>

Description of first aid measures

No hazards which require special first aid measures. **General Advice** 

**Eye Contact** Rinse thoroughly with plenty of water for at least 15

minutes and consult a physician.

30780 - STUDIO FINISHES CHALKBOARD PAINT BLACK

**Skin Contact**Wash off immediately with soap and plenty of water

removing all contaminated clothes and shoes.

Revision Date: 24-Aug-2015

**Inhalation** Move to fresh air. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of

water. Consult a physician if necessary.

4.2.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects

May cause allergic skin reaction

<u>4.3.</u>

Indication of any immediate medical attention and special treatment needed

**Notes To Physician** Treat symptomatically.

# Section 5: FIRE FIGHTING MEASURES

<u>5.1.</u>

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

<u>5.2.</u>

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or

extreme heat.

Sensitivity To Static Discharge No.

Sensitivity To Mechanical Impact No.

5.3.

**Protective Equipment And Precautions For** 

Firefighters

Wear self-contained breathing apparatus and protective

suit.

## Section 6: ACCIDENTAL RELEASE MEASURES

6.1.

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure

adequate ventilation.

Other Information Observe all relevant local and international regulations.

6.2.

30780 - STUDIO FINISHES CHALKBOARD PAINT

**BLACK** 

**Environmental Precautions** Prevent further leakage or spillage if safe to do so.

<u>6.3.</u>

Methods For Containment Absorb with inert material and place in suitable container

for disposal.

Methods For Clean-Up Clean contaminated surface thoroughly.

<u>6.4.</u>

Other information See Section 12 for additional information.

# **Section 7: HANDLING AND STORAGE**

<u>7.1.</u>

Handling Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

Revision Date: 24-Aug-2015

ventilation, wear suitable respiratory equipment.

**Hygiene Measures** Wash thoroughly after handling.

7.2.

Storage Keep container tightly closed. Keep out of the reach of

children.

**7.3.** 

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1.

## **Exposure limits**

Chemical Name	EU	United Kingdom	Belgium	Bulgaria	Cyprus	Greece
Titanium dioxide 13463-67-7		TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10.0 mg/m <sup>3</sup>		TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>

Component	Ireland	Latvia	Lithuania	Poland	Romania	Spain
Titanium dioxide	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 10.0 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
13463-67-7 ( 2.83758 )	TWA: 4 mg/m <sup>3</sup>			STEL: 30 mg/m <sup>3</sup>	STEL: 15 mg/m <sup>3</sup>	

8.2.

Occupational exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

**BLACK** 

Personal Protective Equipment

**Respiratory Protection** In case of insufficient ventilation wear suitable respiratory

equipment.

**Eye Protection** Safety glasses with side-shields.

**Skin Protection** Lightweight protective clothing.

Hand protection Impervious gloves.

Avoid contact with skin, eyes and clothing. Remove and **Hygiene Measures** 

wash contaminated clothing before re-use. Wash

Revision Date: 24-Aug-2015

thoroughly after handling.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1.

**Appearance** liquid

Odor little or no odor

**Odor Threshold** No information available

**Property** Values Remarks/ Method Density (q/L) 1234 - 1282 None known **Relative Density** 1.23 - 1.29None known No information available None known Hq Viscosity (cps) No information available None known Solubility No information available None known No information available **Water Solubility** None known **Evaporation Rate** No information available None known **Vapor Pressure** No information available None known No information available **Vapor Density** None known Wt. % Solids 50 - 60 None known 40 - 50 Vol. % Solids None known 40 - 50 Wt. % Volatiles None known 50 - 60 Vol. % Volatiles None known VOC Regulatory Limit (g/L) 0 None known **Boiling Point (°C)** 100 None known Freezing Point (°C) None known Melting Point (°C) No information available None known Flash Point (°C) Not applicable None known Flammability (solid, gas) No information available None known **Upper Explosion Limit** No information available None known **Lower Explosion Limit** No information available None known None known **Autoignition Temperature (°C)** No information available **Decomposition Temperature (°C)** No information available None known Partition Coefficient (n-octanol/water) No information available None known **Explosive properties** No information available None known **Oxidizing Properties** No information available None known

# **Section 10: STABILITY AND REACTIVITY**

30780 - STUDIO FINISHES CHALKBOARD PAINT BLACK

Revision Date: 24-Aug-2015

10.1.

**Reactivity** Not Applicable.

<u>10.2.</u>

Chemical Stability Stable under normal conditions.

<u>10.3.</u>

Possibility Of Hazardous Reactions None under normal conditions of use.

<u>10.4.</u>

Conditions To Avoid Prevent from freezing.

<u>10.5.</u>

Incompatible Materials No materials to be especially mentioned.

<u>10.6.</u>

Hazardous Decomposition Products

None under normal use.

# Section 11: TOXICOLOGICAL INFORMATION

11.1.

## **Product Information**

**Inhalation** There is no data available for this product.

**Eye contact**There is no data available for this product.

**Skin contact**Repeated or prolonged skin contact may cause allergic

reactions with susceptible persons.

**Ingestion** There is no data available for this product.

**Acute Toxicity** 

## Component

Chemical Name	LD50 Oral:	LD50 Dermal:	LC50 Inhalation:
Titanium dioxide	> 10000 mg/kg (Rat)		
13463-67-7			
Distillates (petroleum),	5000 mg/kg (Rat)	2000 mg/kg (Rabbit)	2.18 mg/L (Rat) 4 h
solvent-dewaxed heavy paraffinic			
64742-65-0			

**Skin corrosion/irritation**No information available.

Eye damage/irritation No information available.

Sensitization: May cause an allergic skin reaction.

BLACK

#### **Mutagenic Effects**

No information available.

Revision Date: 24-Aug-2015

## Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	EU Annex I Carcinogen Information	IARC
Titanium dioxide 13463-67-7		2B - Possible Human Carcinogen
Carbon black 1333-86-4		2B - Possible Human Carcinogen

<sup>•</sup> Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

IARC - International Agency for Research on Cancer

No information available. **Reproductive Effects** No information available. **Developmental Effects** STOT - single exposure No information available. STOT - repeated exposure No information available. **Neurological Effects** No information available. **Target Organ Effects** No information available. No information available. **Symptoms Aspiration Hazard** No information available.

# Section 12: ECOLOGICAL INFORMATION

## 12.1. Toxicity

The environmental impact of this product has not been fully investigated

Chemical Name	Freshwater Algae Data	Freshwater Fish Species Data	Water Flea Data
Distillates (petroleum),		LC50 > 5000 mg/L Oncorhynchus	EC50 > 1000 mg/L (48 h)
solvent-dewaxed heavy paraffinic		mykiss (96 h)	
64742-65-0			

12.2.

Persistence / Degradability

No information available.

12.3.

Bioaccumulation / Accumulation No information available.

12.4.

30780 - STUDIO FINISHES CHALKBOARD PAINT

**BLACK** 

Mobility in soil No information available.

Mobility in Environmental Media No information available.

<u>12.5.</u>

PBT and vPvB assessment No information available.

<u>12.6.</u>

Other adverse effects No information available

## Section 13: DISPOSAL CONSIDERATIONS

<u>13.1.</u>

Waste from Residues/Unused Products

Dispose of in accordance with the European Directives on

waste and hazardous waste.

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

EWC waste disposal No No information available

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

Revision Date: 24-Aug-2015

## Section 14: TRANSPORT INFORMATION

IMDG / IMO Not regulated

RID Not regulated

ADR Not regulated

<u>ADN</u> Not regulated

<u>IATA</u> Not regulated

## Section 15: REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

30780 - STUDIO FINISHES CHALKBOARD PAINT **BLACK** 

Revision Date: 24-Aug-2015

#### **International Inventories**

AICS: Australia No - Not all of the components are listed. **DSL: Canada** Yes - All components are listed or exempt. **EINECS: European Union** No - Not all of the components are listed.

No - Not all of the components are listed. **ENCS**: Japan **IECS: China** No - Not all of the components are listed.

No - Not all of the components are listed. **KECL: South Korea** No - Not all of the components are listed. **PICCS: Philippines TSCA: United States** Yes - All components are listed or exempt.

## Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

#### 15.2.

## **Chemical Safety Report**

No information available

## **Section 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under section 3

H304 - May be fatal if swallowed and enters airways

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eve damage

H335 - May cause respiratory irritation

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and sources for data Data from internal and external sources

**Product Stewardship Department** Prepared By

> Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645

855-724-6802

**Issuing Date** 24-Aug-2015

**Revision Date:** 24-Aug-2015

**Revision Summary** Change to Format

Revision Date: 24-Aug-2015

#### Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

**End of Safety Data Sheet**