

SAFETY DATA SHEET

Issuing Date 25-Nov-2015

Revision Date: 25-Nov-2015

Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name Product Code Product List Product Class Color Recommended use Restrictions on use

STUDIO FINISHES LATEX METALLIC GLAZE BRONZE

62030 62030 I WATER THINNED PAINT Bronze Paint No information available

Manufacturer

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Phone: 855-724-6802 www.benjaminmoore.com

Only Representative (OR)

ITS Testing Services (UK) Ltd. Bainbridge House 86-90 London Road Manchester United Kingdom M1 2PW e-mail: ies01.reach@intertek.com

Emergency Telephone Number(s)

CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

Section 2: HAZARDS IDENTIFICATION

<u>2.1.</u>

REGULATION (EC) No 1272/2008 Classification not possible

<u>2.2.</u>

Product Identifier Classification not possible Signal word None

<u>2.3.</u>

General Hazards

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2 Mixtures

Chemical Name	EINECS/ELINCS No.	CAS-No	Weight % (max)	EU - GHS Substance Classification	REACH No.
Propylene glycol	200-338-0	57-55-6	10		Not available
Silica, mica	-	12001-26-2	5		Not available
Titanium dioxide	236-675-5	13463-67-7	5		Not available
Iron oxide	215-168-2	1309-37-1	1		Not available

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

Description of first aid measuresGeneral AdviceNo hazards which require special first aid measures.Eye ContactRinse thoroughly with plenty of water for at least 15
minutes and consult a physician.Skin ContactWash off immediately with soap and plenty of water
removing all contaminated clothes and shoes.InhalationMove to fresh air. If symptoms persist, call a physician.IngestionClean mouth with water and afterwards drink plenty of
water. Consult a physician if necessary.

<u>4.2.</u>

4.1.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects

<u>4.3.</u>

Indication of any immediate medical attention and special treatment needed

Notes To Physician

Treat symptomatically.

None known

Section 5: FIRE FIGHTING MEASURES

<u>5.1.</u>

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media	No information available.
<u>5.2.</u>	
Specific Hazards Arising From The Chemical	Closed containers may rupture if exposed to fire or extreme heat.
Sensitivity To Static Discharge	No.
Sensitivity To Mechanical Impact	No.
<u>5.3.</u>	
Protective Equipment And Precautions For Firefighters	Wear self-contained breathing apparatus and protective suit.
Section 6: ACCIDENTAL RELEASE	MEASURES
<u>6.1.</u>	
Personal Precautions	Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.
Other Information	Observe all relevant local and international regulations.
<u>6.2.</u>	
Environmental Precautions	Prevent further leakage or spillage if safe to do so.

Environmental Precautions

6.3.

Methods For Containment

Methods For Clean-Up

6.4.

Other information

See Section 12 for additional information.

Clean contaminated surface thoroughly.

Absorb with inert material and place in suitable container

Section 7: HANDLING AND STORAGE

<u>7.1.</u>

Handling Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment. Wash thoroughly after handling. **Hygiene Measures** 7.2. Storage Keep container tightly closed. Keep out of the reach of children.

for disposal.

<u>7.3.</u>

Specific Uses

Architectural coating. Apply as directed. Refer to product label / literature for specific instructions.

Risk Management Methods (RMM)

Not Applicable.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

<u>8.1.</u>

Exposure limits

Chemical Name	EU	United Kingdom	Belgium	Bulgaria	Cyprus	Greece
Propylene glycol		TWA: 10 mg/m ³				
57-55-6		TWA: 150 ppm				
		TWA: 474 mg/m ³				
		STEL: 1422 mg/m ³				
		STEL: 30 mg/m ³				
		STEL: 450 ppm				
Silica, mica		TWA: 0.8 mg/m ³	TWA: 3 mg/m ³	TWA: 3.0 mg/m ³		
12001-26-2		TWA: 10 mg/m ³		TWA: 6.0 mg/m ³		
		STEL: 2.4 mg/m ³				
		STEL: 30 mg/m ³				
Titanium dioxide		TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10.0 mg/m ³		TWA: 10 mg/m ³
13463-67-7		TWA: 4 mg/m ³				TWA: 5 mg/m ³
		STEL: 30 mg/m ³				
		STEL: 12 mg/m ³				
Iron oxide		TWA: 10 mg/m ³	TWA: 2 ppm	TWA: 5.0 mg/m ³		STEL: 10 mg/m ³
1309-37-1		TWA: 4 mg/m ³	TWA: 5 mg/m ³	TWA: 6.0 mg/m ³		STEL: 2 mg/m ³
		TWA: 5 mg/m ³				
		STEL: 10 mg/m ³				
		STEL: 12 mg/m ³				
		STEL: 30 mg/m ³				

Component	Ireland	Latvia	Lithuania	Poland	Romania	Spain
Propylene glycol	TWA: 150 ppm	TWA: 7 mg/m ³	IPRV: 7 mg/m ³			
57-55-6 (9.003)	TWA: 470 mg/m ³	-	-			
	TWA: 10 mg/m ³					
Silica, mica	TWA: 10 mg/m ³				TWA: 3 mg/m ³	VLA-ED: 3 mg/m ³
12001-26-2 (4.001)	TWA: 0.8 mg/m ³				-	_
Titanium dioxide	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 5 mg/m ³	TWA: 10.0 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7 (2.001)	TWA: 4 mg/m ³	-	-	STEL: 30 mg/m ³	STEL: 15 mg/m ³	_
Iron oxide	STEL: 10 mg/m ³		IPRV: 3.5 mg/m ³	NDS: 5 mg/m ³	TWA: 5 mg/m ³	VLA-ED: 5 mg/m ³
1309-37-1 (1)	_		-	NDSCh: 10 mg/m ³	STEL: 10 mg/m ³	_

8.2.

Occupational exposure controls

Engineering Measures

Personal Protective Equipment

Respiratory Protection

Eye Protection

Skin Protection

Ensure adequate ventilation, especially in confined areas.

In case of insufficient ventilation wear suitable respiratory equipment.

Safety glasses with side-shields.

Lightweight protective clothing.

Hand protection

Hygiene Measures

Impervious gloves.

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

<u>9.1.</u>

Appearance Odor Odor Threshold

Property Density (g/L) **Relative Density** pН Viscosity (cps) Solubility Water Solubility **Evaporation Rate** Vapor Pressure Vapor Density Wt. % Solids Vol. % Solids Wt. % Volatiles Vol. % Volatiles VOC Regulatory Limit (g/L) **Boiling Point (°C)** Freezing Point (°C) Melting Point (°C) Flash Point (°C) Flammability (solid, gas) **Upper Explosion Limit** Lower Explosion Limit Autoignition Temperature (°C) **Decomposition Temperature (°C)** Partition Coefficient (n-octanol/water) **Explosive properties Oxidizing Properties**

liquid little or no odor No information available

<u>Values</u> 1078 - 1084

1.07 - 1.09 No information available 0 - 5 0 - 5 95 - 100 95 - 100 < 350 100 0 No information available Not applicable No information available No information available

Remarks/ Method

None known None known

Section 10: STABILITY AND REACTIVITY

10.1.
Reactivity
10.2.Not Applicable.Chemical StabilityStable under normal conditions.10.3.Possibility Of Hazardous ReactionsNone under normal conditions of use.

<u>10.4.</u>

Conditions To Avoid

<u>10.5.</u>

Incompatible Materials

<u>10.6.</u>

Hazardous Decomposition Products

Prevent from freezing.

No materials to be especially mentioned.

None under normal use.

Section 11: TOXICOLOGICAL INFORMATION

<u>11.1.</u>

Product Information

Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	There is no data available for this product.
Ingestion	There is no data available for this product.
Acute Toxicity	

Component

Chemical Name	LD50 Oral:	LD50 Dermal:	LC50 Inhalation:
Propylene glycol 57-55-6	= 20000 mg/kg (Rat)	= 20800 mg/kg(Rabbit)	
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
Iron oxide 1309-37-1	> 10000 mg/kg (Rat)		

Skin corrosion/irritation	No information available.
Eye damage/irritation	No information available.
Sensitization:	No sensitizing effects known.
Mutagenic Effects	No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	EU Annex I Carcinogen Information	IARC
Titanium dioxide		2B - Possible Human Carcinogen
13463-67-7		

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes:

"No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

IARC - International Agency for Research on Cancer

Reproductive Effects	No information available.
Developmental Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Neurological Effects	No information available.
Target Organ Effects	No information available.
Symptoms	No information available.
Aspiration Hazard	No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

Chemical Name	Freshwater Algae Data	Freshwater Fish Species Data	Water Flea Data
Propylene glycol		LC50 = 51600 mg/L Oncorhynchus	EC50 > 1000 mg/L (48 h)
57-55-6		mykiss (96 h) LC50 41 - 47 mL/L	
		Oncorhynchus mykiss (96 h) LC50	
		= 51400 mg/L Pimephales promelas	
		(96 h) LC50 = 710 mg/L Pimephales	
		promelas (96 h)	

<u>12.2.</u>

Persistence / Degradability	No information available.
<u>12.3.</u>	
Bioaccumulation / Accumulation	No information available.
<u>12.4.</u>	
Mobility in soil	No information available.
Mobility in Environmental Media	No information available.
<u>12.5.</u>	
PBT and vPvB assessment	No information available.

<u>12.6.</u>

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

<u>13.1.</u>

Waste from Residues/Unused Products

Contaminated Packaging

EWC waste disposal No

Other Information

Dispose of in accordance with the European Directives on waste and hazardous waste.

Empty containers should be taken for local recycling, recovery or waste disposal.

No information available

Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG / IMO	Not regulated
RID	Not regulated
ADR	Not regulated
ADN	Not regulated
ΙΑΤΑ	Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number
Propylene glycol	RG 84
57-55-6	
Silica, mica	RG 25
12001-26-2	
Iron oxide	RG 44 RG 44bis RG 94
1309-37-1	

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work **text to appear**

International Inventories

AICS: Australia DSL: Canada No - Not all of the components are listed. Yes - All components are listed or exempt.

EINECS: European Union	No - Not all of the components are listed.
ENCS : Japan	No - Not all of the components are listed.
IECS : China	No - Not all of the components are listed.
KECL: South Korea	No - Not all of the components are listed.
PICCS: Philippines	No - Not all of the components are listed.
TSCA: United States	Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List IECSC - China Inventory of Existing Chemical Substances EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

<u>15.2.</u>

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3 Not applicable

Classification procedure:	Expert judgment and weight of evidence determination
Key literature references and sources for data	Data from internal and external sources
Prepared By	Product Stewardship Department Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 855-724-6802
Issuing Date	25-Nov-2015
Revision Date:	25-Nov-2015
Revision Summary <u>Disclaimer</u>	Change to Format

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet