

## SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 24-Jun-2021

Revision Date: 24-Jun-2021

**Revision Number: 1** 

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### **Product Name**

Product Code Alternate Product Code Product Class Color Recommended use Restrictions on use

#### Manufacturer

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Phone: 1-866-708-9180 www.benjaminmoore.com

#### REGAL SELECT EXTERIOR PAINT - MOORGARD LOW LUSTRE FINISH DEEP BASE W103-EU1558 (3001558, 3001572)

W10399 Water thinned paint All Paint No information available

#### Only Representative (OR) Intertek Deutschland GmBH Stangenstrasse 1 70771 Leinfeldan-Echterdingen Germany Ph: +49-(0)-71127311152 e-mail: ies01.reach@intertek.com

Emergency Telephone CHEMTREC:

+1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)

## Section 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008 Skin sensitization Category 1A - (H317) Specific target organ toxicity (repeated exposure) Category 1 - (H372) Chronic aquatic toxicity Category 2 - (H411)

#### 2.2. Label elements

Product Identifier Contains 2-Methyl-4-isothiazolin-3-one, Silica, crystalline

#### W103-EU1558 (3001558, 3001572) - REGAL SELECT **EXTERIOR PAINT - MOORGARD LOW LUSTRE FINISH** DEEP BASE



Signal word Danger

#### Hazard statements

H317 - May cause an allergic skin reaction H372 - Causes damage to organs through prolonged or repeated exposure H411 - Toxic to aquatic life with long lasting effects

EUH208 - Contains (Cobalt bis(2-ethylhexanoate), 1,2-Benzisothiazolin-3-one, 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1)). May produce an allergic reaction

#### Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

- P102 Keep out of reach of children
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P273 Avoid release to the environment
- P280 Wear protective gloves
- P321 Specific treatment (see supplemental first aid instructions on this label)
- P391 Collect spillage
- P501 Dispose of contents/ container to an approved waste disposal plant

#### Additional information

This product requires tactile warnings if supplied to the general public This product requires child resistant fastenings if supplied to the general public

#### 2.3. Other hazards

Other hazards Toxic to aquatic life

**General Hazards** No information available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

| Chemical name       | EINECS/ELINCS No. | CAS No.    | Weight-%   | Classification<br>according to<br>Regulation (EC) No.<br>1272/2008 [CLP] | REACH registration<br>number |
|---------------------|-------------------|------------|------------|--|------------------------------|
| Silica, crystalline | 238-878-4         | 14808-60-7 | >=15 - <20 | STOT RE 1 (H372)   | Not available                |
| Titanium dioxide    | 236-675-5         | 13463-67-7 | >=1 - <5   | Not available  | 01-2119489379-17-01<br>68    |

#### W103-EU1558 (3001558, 3001572) - REGAL SELECT EXTERIOR PAINT - MOORGARD LOW LUSTRE FINISH DEEP BASE

| Zinc oxide  | 215-222-5 | 1314-13-2  | >=1 - <5         | Aquatic Acute 1(H400)<br>Aquatic Chronic<br>1(H410)   | Not available |
|---|-----------|------------|------------------|---|---------------|
| Cobalt bis(2-ethylhexanoate)  | 205-250-6 | 136-52-7   | >=0.05 - <0.1    | Skin Sens. 1A (H317)<br>Eye Irrit. 2 (H319)<br>Repr. Tox. 1B (H360)<br>Aquatic Acute 1<br>(H400)<br>Aquatic Chronic 3<br>(H412)   | Not available |
| 1,2-Benzisothiazolin-3-one  | 220-120-9 | 2634-33-5  | >=0.01 - < 0.05  | Acute Tox 4 (H302)<br>Acute Tox 2 (H330)<br>Skin Irrit. 2 (H315)<br>Eye Dam. 1 (H318)<br>Skin Sens. 1 (H317)<br>Aquatic Acute 1<br>(H400)<br>Aquatic Chronic 2<br>(H411)  | Not available |
| 2-Methyl-4-isothiazolin-3-one   | 220-239-6 | 2682-20-4  | >=0.001 - <0.005 | Skin Corr. 1B (H314)<br>Eye Dam 1 (H318)<br>Skin Sens. 1 (H317)<br>Acute Tox. 3 (H301)<br>Acute Tox. 3 (H311)<br>Acute Tox. 2 (H330)<br>Acute Tox. 3 (H331)<br>Aquatic Acute 1<br>(H400)<br>Aquatic chronic 1<br>(H410) | Not available |
| 5-Chloro-2-methyl-3(2H)-isothi<br>azolone mixture with<br>2-methyl-3(2H)-isothiazolone<br>(3:1) | -         | 55965-84-9 | >=0.001 - <0.005 | Acute Tox. 3 (H301)<br>Acute Tox. 2 (H310)<br>Acute Tox. 3 (H330)<br>Skin Corr. 1C (H314)<br>Eye Dam 1 (H318)<br>Skin Sens. 1 (H317)<br>Aquatic Acute 1<br>(H400)<br>Aquatic Chronic 1<br>(H410)                        | Not available |

Full text of H- and EUH-phrases: see section 16

## Section 4: FIRST AID MEASURES

| 4.1. Description of first aid measures |   |
|--|---|
| Description of first aid measures      |   |
| General Advice                         | No hazards which require special first aid measures.  |
| Eye Contact                            | Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.                |
| Skin Contact                           | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. |
| Inhalation                             | Move to fresh air. If symptoms persist, call a physician.   |

| Ingestion   | Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.          |  |  |  |  |
|---|---|--|--|--|--|
| 4.2. Most important symptoms and effects, both acute          | and delayed   |  |  |  |  |
| Most Important Symptoms/Effects                               | May cause allergic skin reaction.   |  |  |  |  |
| 4.3. Indication of any immediate medical attention and needed | special treatment   |  |  |  |  |
| Notes To Physician  | Treat symptomatically.  |  |  |  |  |
|   |   |  |  |  |  |
| Section 5: FIRE FIGHTING MEASURES                             |   |  |  |  |  |
| 5.1. Extinguishing media                                      |   |  |  |  |  |
| Suitable Extinguishing Media                                  | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |  |  |  |  |
| Unsuitable Extinguishing Media                                | No information available.   |  |  |  |  |
| 5.2. Special hazards arising from the substance or mixture    |   |  |  |  |  |
| Specific Hazards Arising From The Chemical                    | Closed containers may rupture if exposed to fire or extreme heat.                                       |  |  |  |  |
| Sensitivity to static discharge                               | No  |  |  |  |  |
| Sensitivity to mechanical impact                              | No  |  |  |  |  |
| 5.3. Advice for firefighters                                  |   |  |  |  |  |
| Protective equipment and precautions for firefighters         | Wear self-contained breathing apparatus and protective suit.  |  |  |  |  |
| Section 6: ACCIDENTAL RELEASE ME                              | ASURES  |  |  |  |  |
| 6.1. Personal precautions, protective equipment and e         | mergency procedures   |  |  |  |  |
| Personal Precautions  | Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.                                |  |  |  |  |
| Other Information   | Observe all relevant local and international regulations.   |  |  |  |  |
| 6.2. Environmental precautions                                |   |  |  |  |  |

Environmental precautions

Prevent spreading of vapors through sewers, ventilation systems and confined areas.

6.3. Methods and material for containment and cleaning up

| Methods for Containment                       | Absorb with inert material and place in suitable container for disposal.   |
|---|--|
| Methods for Cleaning Up                       | Clean contaminated surface thoroughly.   |
| 6.4. Reference to other sections              |  |
| Other information                             | See Section 12 for additional information.   |
| Section 7: HANDLING AND STO                   | DRAGE  |
| 7.1. Precautions for safe handling            |  |
| Handling                                      | Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment. |
| Hygiene Measures                              | Wash thoroughly after handling.  |
| 7.2. Conditions for safe storage, including a | ny incompatibilities   |
| Storage                                       | Keep container tightly closed. Keep out of the reach of children.  |
| 7.3. Specific end use(s)                      |  |
| Specific Uses                                 | Architectural coating. Apply as directed. Refer to product label / literature for specific instructions.   |
| Risk Management Methods (RMM)                 | Not Applicable.  |
| Section 8: EXPOSURE CONTRO                    | OLS/PERSONAL PROTECTION  |
| 0.1. Control parameters                       |  |

| Chemical name                     | European Union             | Belgium                                 |      | Bulga                   | aria                | Су                  | prus                          |    | France   | Ireland   |
|-----------------------------------|----------------------------|---|------|-------------------------|---------------------|---------------------|-------------------------------|----|--|---|
| Silica, crystalline<br>14808-60-7 | TWA: 0.1 mg/m <sup>3</sup> | TWA: 0.1 mg                             | g/m³ | TWA: 0.07               | 7 mg/m <sup>3</sup> |                     | -                             | TW | A: 0.1 mg/m <sup>3</sup>                           | TWA: 0.1 mg/m <sup>3</sup>  |
| Titanium dioxide<br>13463-67-7    | -                          | TWA: 10 mg                              | ı/m³ | TWA: 10.0<br>TWA: 1.0   | 0                   |                     | -                             | ΤW | A: 10 mg/m <sup>3</sup>                            | TWA: 10 mg/m <sup>3</sup><br>TWA: 4 mg/m <sup>3</sup><br>STEL: 30 mg/m <sup>3</sup><br>STEL: 12 mg/m <sup>3</sup> |
| Zinc oxide<br>1314-13-2           | -                          | STEL: 10 mg<br>TWA: 10 mg<br>TWA: 5 mg/ | /m³  | TWA: 5.0<br>STEL: 10.0  | 0                   |                     | -                             |    | /A: 5 mg/m <sup>3</sup><br>A: 10 mg/m <sup>3</sup> | TWA: 2 mg/m <sup>3</sup><br>STEL: 10 mg/m <sup>3</sup>  |
| Chemical name                     | Germany                    | Greece                                  |      | Hung                    | ary                 | lce                 | land                          |    | Italy  | Latvia  |
| Silica, crystalline<br>14808-60-7 | -                          | -                                       |      | TWA: 0.15               | 5 mg/m <sup>3</sup> |                     | /m³ TWA<br>/m³ TWA            |    | -  | -   |
| Titanium dioxide<br>13463-67-7    | -                          | TWA: 10 mg<br>TWA: 5 mg/                |      | -                       |                     | 6 mg/               | m³ TWA                        |    | -  | TWA: 10 mg/m <sup>3</sup>   |
| Zinc oxide<br>1314-13-2           | -                          | TWA: 5 mg/<br>STEL: 10 mg               |      | STEL: 20<br>TWA: 5 (    | 0                   | 4 mg/               | m³ TWA                        |    | -  | TWA: 0.5 mg/m <sup>3</sup>  |
| Chemical name                     | Lithuania                  | Netherlands                             | F    | Poland                  | Rom                 | ania                | Spain                         |    | Sweden   | United<br>Kingdom   |
| Silica, crystalline<br>14808-60-7 | TWA: 0.1 mg/m <sup>3</sup> | TWA: 0.075<br>mg/m <sup>3</sup>         | TWA  | : 0.1 mg/m <sup>3</sup> | TWA: 0.             | 1 mg/m <sup>3</sup> | TWA: 0.0<br>mg/m <sup>3</sup> |    | TLV: 0.1 mg/m                                      | <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>   |

#### W103-EU1558 (3001558, 3001572) - **REGAL SELECT** EXTERIOR PAINT - MOORGARD LOW LUSTRE FINISH DEEP BASE

| Titanium dioxide<br>13463-67-7 | TWA: 5 mg/m <sup>3</sup> | - | TWA: 10 mg/m <sup>3</sup><br>STEL: 15 mg/m <sup>3</sup> | TWA: 10 mg/m <sup>3</sup>                              | 5                        | TWA: 10 mg/m <sup>3</sup><br>TWA: 4 mg/m <sup>3</sup><br>STEL: 30 mg/m <sup>3</sup><br>STEL: 12 mg/m <sup>3</sup> |
|--------------------------------|--------------------------|---|---|--|--------------------------|---|
| Zinc oxide<br>1314-13-2        | TWA: 5 mg/m <sup>3</sup> | - | TWA: 5 mg/m <sup>3</sup><br>STEL: 10 mg/m <sup>3</sup>  | TWA: 2 mg/m <sup>3</sup><br>STEL: 10 mg/m <sup>3</sup> | TLV: 5 mg/m <sup>3</sup> | -   |

#### 8.2. Exposure controls

Occupational exposure controls

Engineering Measures

Personal Protective Equipment

**Respiratory Protection** 

Eye Protection

**Skin Protection** 

Hand protection

**Hygiene Measures** 

Ensure adequate ventilation, especially in confined areas.

In case of insufficient ventilation wear suitable respiratory equipment.

Safety glasses with side-shields.

Lightweight protective clothing.

Impervious gloves.

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Appearance Odor Odor Threshold

Property Density (g/L) **Relative Density** pН Viscosity (cps) Solubility(ies) Water solubility **Evaporation Rate** Vapor pressure Vapor density Wt. % Solids Vol. % Solids Wt. % Volatiles Vol. % Volatiles **Boiling Point (°C)** Freezing Point (°C) Melting Point (°C) Pour Point

liquid little or no odor No information available

#### Values

1210 - 1222 1.21 - 1.23 No information available 45 - 55 35 - 45 45 - 55 55 - 65 100 0 No information available No information available

#### Remarks/ Method

None known

| None | known |
|------|-------|
| None | known |
|      |       |

- Flash Point (°C) Flammability (solid, gas) Upper flammability limit: Lower flammability limit: Autoignition Temperature (°C) Decomposition Temperature (°C) Partition coefficient Explosive properties Oxidizing Properties
- Not applicable No information available No information available
- Revision Date: 24-Jun-2021
  - None known None known None known None known None known None known None known

## Section 10: STABILITY AND REACTIVITY

| <u>10.1. Reactivity</u><br>Reactivity    | Not Applicable.                          |
|--|--|
| 10.2. Chemical stability                 |  |
| Chemical Stability                       | Stable under normal conditions.          |
| 10.3. Possibility of hazardous reactions |  |
| Possibility of hazardous reactions       | None under normal conditions of use.     |
| 10.4. Conditions to avoid                |  |
| Conditions to avoid                      | Prevent from freezing.                   |
| 10.5. Incompatible materials             |  |
| Incompatible Materials                   | No materials to be especially mentioned. |
| 10.6. Hazardous decomposition products   |  |
| Hazardous Decomposition Products         | None under normal conditions of use.     |

## Section 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

## Product Information

| Inhalation     | There is no data available for this product.  |
|----------------|---|
| Eye contact    | There is no data available for this product.  |
| Skin contact   | Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. |
| Ingestion      | There is no data available for this product.  |
| Acute Toxicity |   |

#### Component Information

| Chemical name  | Oral LD50                                  | Dermal LD50           | Inhalation LC50    |
|--|--|-----------------------|--------------------|
| Titanium dioxide<br>13463-67-7   | > 10000 mg/kg (Rat)                        |                       |                    |
| Zinc oxide<br>1314-13-2  | > 5000 mg/kg (Rat)                         |                       |                    |
| Cobalt bis(2-ethylhexanoate)<br>136-52-7   |  | > 5000 mg/kg (Rabbit) | > 10 mg/L (Rat)1 h |
| 1,2-Benzisothiazolin-3-one<br>2634-33-5  | = 1020 mg/kg (Rat)                         |                       |                    |
| 2-Methyl-4-isothiazolin-3-one<br>2682-20-4   | 232 - 249 mg/kg (Rat)<br>= 120 mg/kg (Rat) | = 200 mg/kg (Rabbit)  |                    |
| 5-Chloro-2-methyl-3(2H)-isothiazolo<br>ne mixture with<br>2-methyl-3(2H)-isothiazolone (3:1)<br>55965-84-9 | = 53 mg/kg (Rat)                           |                       |                    |

#### Skin corrosion/irritation

Eye damage/irritation

Sensitization

**Mutagenic Effects** 

No information available.

No information available.

May cause an allergic skin reaction.

No information available.

#### **Carcinogenic effects**

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name                     | European Union | IARC                           |
|-----------------------------------|----------------|--------------------------------|
| Silica, crystalline<br>14808-60-7 |                | 1 - Human Carcinogen           |
| Titanium dioxide<br>13463-67-7    |                | 2B - Possible Human Carcinogen |

Crystalline Silica has been determined to be carcinogenic to humans by IARC (1) when in respirable form. Risk of cancer depends on duration and level of inhalation exposure to spray mist or dust from sanding the dried paint.
Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

#### Legend

IARC - International Agency for Research on Cancer

| Reproductive Effects     | No information available.  |
|--------------------------|--|
| Developmental Effects    | No information available.  |
| STOT - single exposure   | No information available.  |
| STOT - repeated exposure | Causes damage to organs through prolonged or repeated exposure if inhaled. |

| Neurological Effects | No information available. |
|----------------------|---------------------------|
| Target organ effects | No information available. |
| Symptoms             | No information available. |
| Aspiration Hazard    | No information available. |

## Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Toxic to aquatic life with long lasting effects

| Chemical name | Algae/aquatic plants | Fish                               | Crustacea |
|---------------|----------------------|------------------------------------|-----------|
| Zinc oxide    |                      | LC50: =1.55mg/L (96h, Danio rerio) |           |
| 1314-13-2     |                      |                                    |           |

#### 12.2. Persistence and degradability

#### Persistence / Degradability

No information available.

#### 12.3. Bioaccumulative potential

#### **Bioaccumulation**

No information available.

| Chemical name              | Partition coefficient |
|----------------------------|-----------------------|
| 1,2-Benzisothiazolin-3-one | 1.3                   |
| 2634-33-5                  |                       |

#### 12.4. Mobility in soil

Mobility in soil

No information available.

Mobility in Environmental Media

No information available.

#### 12.5. Results of PBT and vPvB assessment

#### PBT and vPvB assessment

No information available.

| Chemical name  | PBT and vPvB assessment  |
|--|--|
| Titanium dioxide<br>13463-67-7   | The substance is not PBT / vPvB PBT assessment<br>does not apply |
| Zinc oxide<br>1314-13-2  | The substance is not PBT / vPvB PBT assessment<br>does not apply |
| Cobalt bis(2-ethylhexanoate)<br>136-52-7   | The substance is not PBT / vPvB PBT assessment<br>does not apply |
| 1,2-Benzisothiazolin-3-one<br>2634-33-5  | The substance is not PBT / vPvB                                  |
| 2-Methyl-4-isothiazolin-3-one<br>2682-20-4   | The substance is not PBT / vPvB                                  |
| 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone<br>(3:1) | The substance is not PBT / vPvB                                  |

55965-84-9

12.6. Other adverse effects

Other adverse effects

No information available

## Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

| Waste from Residues/Unused Products | Dispose of in accordance with the European Directives on waste and hazardous waste.                 |
|-------------------------------------|---|
| Contaminated Packaging              | Empty containers should be taken for local recycling, recovery or waste disposal.                   |
| EWC waste disposal No               | No information available  |
| Other Information                   | Waste codes should be assigned by the user based on the application for which the product was used. |

## Section 14: TRANSPORT INFORMATION

| IMDG       | Not regulated |
|------------|---------------|
| <u>RID</u> | Not regulated |
| ADR        | Not regulated |
| ADN        | Not regulated |
| ΙΑΤΑ       | Not regulated |

## Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Occupational Illnesses (R-463-3, France)

| Chemical name                           | French RG number |
|---|------------------|
| Silica, crystalline<br>14808-60-7       | RG 25            |
| 1,2-Benzisothiazolin-3-one<br>2634-33-5 | RG 65            |

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### International Inventories

| AICS<br>DSL: Canada<br>EINECS: European Union | No - Not all of the components are listed.<br>Yes - All components are listed or exempt.<br>No - Not all of the components are listed. |
|---|--|
| ENCS  | No - Not all of the components are listed.   |
| IECSC   | No - Not all of the components are listed.   |
| KECL (Annex 1)                                | No - Not all of the components are listed.   |
| PICCS   | No - Not all of the components are listed.   |
| TSCA: United States                           | Yes - All components are listed or exempt.   |

#### Legend

AICS - Australian Inventory of Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List IECSC - China Inventory of Existing Chemical Substances EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

#### 15.2. Chemical safety assessment

**Chemical Safety Report** 

No information available

### Section 16: OTHER INFORMATION

#### Full text of H-Statements referred to under section 3

- H301 Toxic if swallowed
- H302 Harmful if swallowed
- H310 Fatal in contact with skin
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H319 Causes serious eye irritation
- H331 Toxic if inhaled
- H360 May damage fertility or the unborn child
- H372 Causes damage to organs through prolonged or repeated exposure
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H411 Toxic to aquatic life with long lasting effects
- H412 Harmful to aquatic life with long lasting effects

#### **Classification procedure:**

#### Key literature references and sources for data

**Prepared By** 

Expert judgment and weight of evidence determination

Data from internal and external sources

Product Stewardship Department Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 800-225-5554

| Issuing Date     | 24-Jun-2021     |
|------------------|-----------------|
| Revision Date:   | 24-Jun-2021     |
| Revision Summary | Initial Release |

**Disclaimer** 

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

**End of Safety Data Sheet**