

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Number: 1 Issuing Date 24-Jun-2021 Revision Date: 24-Jun-2021

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name REGAL SELECT EXTERIOR PAINT - MOORGARD LOW LUSTRE

FINISH ULTRA BASE

Product Code W103-EU1559 (3001559, 3001571)

Alternate Product Code W10399

Product Class Water thinned paint

Color ΑII Recommended use Paint

No information available Restrictions on use

Manufacturer Only Representative (OR)

Benjamin Moore & Co. Intertek Deutschland GmBH 101 Paragon Drive Stangenstrasse 1

70771 Leinfeldan-Echterdingen Montvale, NJ 07645

Phone: 1-866-708-9180 Germany Ph: +49-(0)-71127311152

e-mail: ies01.reach@intertek.com

Emergency Telephone

CHEMTREC:

+1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

www.benjaminmoore.com

Skin sensitization	Category 1A - (H317)
Specific target organ toxicity (repeated exposure)	Category 1 - (H372)
Chronic aquatic toxicity	Category 2 - (H411)

2.2. Label elements

Product Identifier

Contains 2-Methyl-4-isothiazolin-3-one, Silica, crystalline

Revision Date: 24-Jun-2021



Signal word Danger

Hazard statements

H317 - May cause an allergic skin reaction

H372 - Causes damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

EUH208 - Contains (Cobalt bis(2-ethylhexanoate), 1,2-Benzisothiazolin-3-one, 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1)). May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves

P273 - Avoid release to the environment

P321 - Specific treatment (see supplemental first aid instructions on this label)

P391 - Collect spillage

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Other hazards Toxic to aquatic life

General Hazards No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Silica, crystalline	238-878-4	14808-60-7	>=20 - <25	STOT RE 1 (H372)	Not available
Zinc oxide	215-222-5	1314-13-2	>=1 - <5	Aquatic Acute 1(H400) Aquatic Chronic 1(H410)	Not available
Cobalt bis(2-ethylhexanoate)	205-250-6	136-52-7	>=0.05 - <0.1	Skin Sens. 1A (H317) Eye Irrit. 2 (H319) Repr. Tox. 1B (H360) Aquatic Acute 1 (H400)	Not available

				Aquatic Chronic 3 (H412)	
1,2-Benzisothiazolin-3-one	220-120-9	2634-33-5	>=0.01 - < 0.05	Acute Tox 4 (H302) Acute Tox 2 (H330) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	Not available
2-Methyl-4-isothiazolin-3-one	220-239-6	2682-20-4	>=0.001 - <0.005	Skin Corr. 1B (H314) Eye Dam 1 (H318) Skin Sens. 1 (H317) Acute Tox. 3 (H301) Acute Tox. 2 (H330) Acute Tox. 3 (H331) Aquatic Acute 1 (H400) Aquatic chronic 1 (H410)	Not available
5-Chloro-2-methyl-3(2H)-isothi azolone mixture with 2-methyl-3(2H)-isothiazolone (3:1)	<u>-</u>	55965-84-9	>=0.001 - <0.005	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 3 (H330) Skin Corr. 1C (H314) Eye Dam 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Description of first aid measures

General AdviceNo hazards which require special first aid measures.

Eye Contact Rinse thoroughly with plenty of water for at least 15

minutes and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

Revision Date: 24-Jun-2021

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of

water. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects May cause allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment

<u>needed</u>

Notes To Physician Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Revision Date: 24-Jun-2021

Unsuitable Extinguishing Media No information available.

5.2. Special hazards arising from the substance or mixture

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or

extreme heat.

Sensitivity to static discharge No

Sensitivity to mechanical impact No

5.3. Advice for firefighters

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective

suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure

adequate ventilation.

Other Information Observe all relevant local and international regulations.

6.2. Environmental precautions

Environmental precautions Prevent spreading of vapors through sewers, ventilation

systems and confined areas.

6.3. Methods and material for containment and cleaning up

Methods for Containment Absorb with inert material and place in suitable container

for disposal.

Methods for Cleaning UpClean contaminated surface thoroughly.

6.4. Reference to other sections

Other information

See Section 12 for additional information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

Revision Date: 24-Jun-2021

ventilation, wear suitable respiratory equipment.

Hygiene Measures Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed. Keep out of the reach of

children.

7.3. Specific end use(s)

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical name	European Union	Belgium		Bulga	ria	C)	/prus		France	Ireland
Silica, crystalline 14808-60-7	TWA: 0.1 mg/m ³	TWA: 0.1 mg	g/m³	TWA: 0.07	7 mg/m ³		-	TW	A: 0.1 mg/m ³	TWA: 0.1 mg/m ³
Zinc oxide 1314-13-2	-	STEL: 10 mg TWA: 10 mg TWA: 5 mg	j/m³	TWA: 5.0 STEL: 10.0			-		/A: 5 mg/m ³ A: 10 mg/m ³	TWA: 2 mg/m³ STEL: 10 mg/m³
Chemical name	Germany	Greece	111	Hung	ary	Ice	eland		Italy	Latvia
Silica, crystalline 14808-60-7	-	-		TWA: 0.15	mg/m³		g/m³ TWA g/m³ TWA		-	-
Zinc oxide 1314-13-2	-	TWA: 5 mg/ STEL: 10 mg		STEL: 20 TWA: 5 i		4 mg/	m³ TWA		-	TWA: 0.5 mg/m ³
Chemical name	Lithuania	Netherlands	F	Poland	Rom	ania	Spain		Sweden	United Kingdom
Silica, crystalline 14808-60-7	TWA: 0.1 mg/m ³	TWA: 0.075 mg/m ³	TWA	: 0.1 mg/m ³	TWA: 0.	1 mg/m ³	TWA: 0.0 mg/m ³		TLV: 0.1 mg/m	³ TWA: 0.1 mg/m ³
Zinc oxide 1314-13-2	TWA: 5 mg/m ³	-		_: 10 mg/m³ \arrow: 5 mg/m³		mg/m³ 0 mg/m³	TWA: 2 mg STEL: 10 m		TLV: 5 mg/m ²	-

8.2. Exposure controls

Occupational exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection In case of insufficient ventilation wear suitable respiratory

equipment.

W103-EU1559 (3001559, 3001571) - REGAL SELECT EXTERIOR PAINT - MOORGARD LOW LUSTRE FINISH ULTRA BASE

Eye Protection Safety glasses with side-shields.

Skin Protection Lightweight protective clothing.

Hand protection Impervious gloves.

Hygiene Measures Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash

Revision Date: 24-Jun-2021

thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance liquid

Odor little or no odor

Odor Threshold No information available

Property Values Remarks/ Method None known Density (g/L) 1210 - 1222 **Relative Density** 1.21 - 1.23 pН No information available None known Viscosity (cps) No information available None known Solubility(ies) No information available None known Water solubility No information available None known **Evaporation Rate** No information available None known Vapor pressure No information available None known Vapor density No information available None known Wt. % Solids 45 - 55 None known Vol. % Solids 35 - 45 None known Wt. % Volatiles 45 - 55 None known 55 - 65 Vol. % Volatiles None known **Boiling Point (°C)** 100 None known Freezing Point (°C) 0 None known Melting Point (°C) No information available None known **Pour Point** No information available None known Flash Point (°C) Not applicable None known Flammability (solid, gas) No information available None known **Upper flammability limit:** No information available None known Lower flammability limit: No information available None known **Autoignition Temperature (°C)** No information available None known **Decomposition Temperature (°C)** No information available None known **Partition coefficient** No information available None known No information available **Explosive properties** None known **Oxidizing Properties** No information available None known

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Not Applicable.

JEINA BAGE

10.2. Chemical stability

Chemical Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal conditions of use.

10.4. Conditions to avoid

Conditions to avoid Prevent from freezing.

10.5. Incompatible materials

Incompatible MaterialsNo materials to be especially mentioned.

10.6. Hazardous decomposition products

Hazardous Decomposition Products

None under normal conditions of use.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

Inhalation There is no data available for this product.

Eye contactThere is no data available for this product.

Skin contact Repeated or prolonged skin contact may cause allergic

reactions with susceptible persons.

Revision Date: 24-Jun-2021

Ingestion There is no data available for this product.

Acute Toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Zinc oxide 1314-13-2	> 5000 mg/kg (Rat)		
Cobalt bis(2-ethylhexanoate) 136-52-7		> 5000 mg/kg (Rabbit)	> 10 mg/L (Rat)1 h
1,2-Benzisothiazolin-3-one 2634-33-5	= 1020 mg/kg (Rat)		
2-Methyl-4-isothiazolin-3-one 2682-20-4	232 - 249 mg/kg (Rat) = 120 mg/kg (Rat)	= 200 mg/kg (Rabbit)	
5-Chloro-2-methyl-3(2H)-isothiazolo ne mixture with 2-methyl-3(2H)-isothiazolone (3:1)	= 53 mg/kg (Rat)		

W103-EU1559 (3001559, 3001571) - REGAL SELECT EXTERIOR PAINT - MOORGARD LOW LUSTRE FINISH ULTRA BASE

Revision Date: 24-Jun-2021

55965-84-9

Skin corrosion/irritation

No information available.

Eye damage/irritation

No information available.

Sensitization May cause an allergic skin reaction.

Mutagenic Effects No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	IARC
Silica, crystalline		1 - Human Carcinogen
14808-60-7		-

• Crystalline Silica has been determined to be carcinogenic to humans by IARC (1) when in respirable form. Risk of cancer depends on duration and level of inhalation exposure to spray mist or dust from sanding the dried paint.

Legend

IARC - International Agency for Research on Cancer

Reproductive EffectsNo information available.

Developmental EffectsNo information available.

STOT - single exposureNo information available.

STOT - repeated exposure Causes damage to organs through prolonged or repeated

exposure if inhaled.

Neurological EffectsNo information available.Target organ effectsNo information available.SymptomsNo information available.

Aspiration Hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Toxic to aquatic life with long lasting effects

Chemical name	Algae/aquatic plants	Fish	Crustacea
Zinc oxide		LC50: =1.55mg/L (96h, Danio rerio)	
1314-13-2			

12.2. Persistence and degradability

Persistence / Degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

Chemical name	Partition coefficient
1,2-Benzisothiazolin-3-one	1.3
2634-33-5	

12.4. Mobility in soil

Mobility in soilNo information available.Mobility in Environmental MediaNo information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

No information available.

Revision Date: 24-Jun-2021

Chemical name	PBT and vPvB assessment
Zinc oxide	The substance is not PBT / vPvB PBT assessment
1314-13-2	does not apply
Cobalt bis(2-ethylhexanoate)	The substance is not PBT / vPvB PBT assessment
136-52-7	does not apply
1,2-Benzisothiazolin-3-one	The substance is not PBT / vPvB
2634-33-5	
2-Methyl-4-isothiazolin-3-one	The substance is not PBT / vPvB
2682-20-4	
5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone	The substance is not PBT / vPvB
(3:1)	
55965-84-9	

12.6. Other adverse effects

Other adverse effects No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products Dispose of in accordance with the European Directives on

waste and hazardous waste.

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

EWC waste disposal No No information available

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

Section 14: TRANSPORT INFORMATION

Revision Date: 24-Jun-2021

IMDG Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

IATA Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Silica, crystalline 14808-60-7	RG 25
1,2-Benzisothiazolin-3-one 2634-33-5	RG 65

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AICS

DSL: Canada

Yes - All components are listed.
Yes - All components are listed or exempt.
No - Not all of the components are listed.
ENCS

No - Not all of the components are listed.
No - Not all of the components are listed.

ECSC

No - Not all of the components are listed.

KECL (Annex 1)

No - Not all of the components are listed.

PICCS No - Not all of the components are listed.

TSCA: United States Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report No information available

Section 16: OTHER INFORMATION

Revision Date: 24-Jun-2021

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H330 - Fatal if inhaled

H331 - Toxic if inhaled

H360 - May damage fertility or the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

H412 - Harmful to aquatic life with long lasting effects

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and sources for data

Data from internal and external sources

Prepared By Product Stewardship Department

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645

800-225-5554

Issuing Date 24-Jun-2021

Revision Date: 24-Jun-2021

Revision Summary Initial Release

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet