

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 21/12/2023 Revision Date: 21/12/2023 Revision Number: 1

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name STAYS CLEAR ACRYLIC POLYURETHANE, LOW LUSTRE

Product Code W42300 Alternate Product Code W42300

Product Class FINISH COATING

Colour Clear Recommended use Topcoat

Manufacturer Only Representative (OR) Supplier

Benjamin Moore & Co. ITS Testing Services (UK) Ltd. Benjamin Moore UK Ltd.

101 Paragon Drive Bainbridge House 804 Oxford Avenue
Montvale, NJ 07645 86-90 London Road Slough SL1 4LN
Phone: 1-866-708-9180 Manchester Ph: +44 (0) 1753 575756

www.benjaminmoore.com United Kingdom www.benjaminmoorepaint.co.uk

M1 2PW e-mail: ies01.reach@intertek.com

Emergency Telephone CHEMTREC: +1-703-741-5970

CHEMTREC: (United Kingdom Local Number): +44-870-8200418

CHEMTREC: (London Local Number) +(44)-203-8073798

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin sensitisation Category 1 - (H317)

2.2. Label elements

Product Identifier

Contains 1,2-Benzisothiazol-3(2H)-one



Signal word

Warning

Hazard statements

H317 - May cause an allergic skin reaction

EUH208 - Contains 3(2H)-Isothiazolone, 2-methyl- May produce an allergic reaction

Revision Date: 21/12/2023

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Other hazards Causes mild skin irritation

General Hazards No information available

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number	UK REACH Registration Number (DUIN)
Propanol, 1(or 2)-(2-methoxymethylethoxy)-	252-104-2	34590-94-8	>=5 - <10	Flam. liq 4 (H227)		
1,2-Propanediol	200-338-0	57-55-6	>=1 - <5	Not available	01-2119456809-23 -0224	UK-01-670268793 9-4-0013
1,2-Benzisothiazol-3(2H)-o ne	220-120-9	2634-33-5	>=0.05 - <0.1	Acute Tox 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400)		
3(2H)-Isothiazolone, 2-methyl-	220-239-6	2682-20-4	>=0.001 - <0.005	Skin Corr. 1B (H314) Eye Dam 1 (H318) Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 3 (H311)		

	Acute Tox. 2	
	(H330)	
	Aquatic Acute 1	
	(H400)	
	Aquatic chronic 1	
	(H410)	

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Description of first aid measures

General AdviceNo hazards which require special first aid measures.

Eye ContactRinse thoroughly with plenty of water for at least 15

minutes and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

Revision Date: 21/12/2023

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of

water. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects

May cause allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment

needed

Notes To Physician Treat symptomatically.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

5.2. Special hazards arising from the substance or mixture

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or

extreme heat.

Sensitivity to static discharge No

LOW LUSTRE

Sensitivity to mechanical impact No

5.3. Advice for firefighters

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective

suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure

adequate ventilation.

Other Information Observe all relevant local and international regulations.

6.2. Environmental precautions

Environmental precautions Prevent spreading of vapours through sewers, ventilation

systems and confined areas.

6.3. Methods and material for containment and cleaning up

Methods for Containment Absorb with inert material and place in suitable container

for disposal.

Methods for Cleaning Up Clean contaminated surface thoroughly.

6.4. Reference to other sections

Other information See Section 12 for additional information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

Revision Date: 21/12/2023

ventilation, wear suitable respiratory equipment.

Hygiene Measures Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed. Keep out of the reach of

children.

7.3. Specific end use(s)

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Chemical name	European Unior	Belgium		Bulga	ria	Cy	/prus		France	Ireland
Propanol, 1(or	TWA: 50 ppm	TWA: 50 pp	om	Potenti	al for	TWA:	50 ppm	T۷	VA: 50 ppm	TWA: 50 ppm
2)-(2-methoxymethylet	TWA: 308 mg/m ³	TWA: 308 mg/m ³		cutaneous		TWA: 3	308 mg/m ³	TW	4: 308 mg/m ³	TWA: 308 mg/m ³
hoxy)-	*	skin		absorption			S*		*	STEL: 150 ppm
34590-94-8				TWA: 50						STEL: 924 mg/m ³
				TWA: 308.	0 mg/m ³					Sk*
				S*						
1,2-Propanediol	-	-		-			-		-	TWA: 10 mg/m ³
57-55-6										TWA: 150 ppm
										TWA: 470 mg/m ³
										STEL: 1410 mg/m ³
										STEL: 30 mg/m ³
										STEL: 450 ppm
Chemical name	Germany TRGS			Hung	ary		eland		aly MDLPS	Latvia
Propanol, 1(or	TWA: 50 ppm	TWA: 100 p	pm	TWA: 308	mg/m³	50 pp	om TWA	T۷	VA: 50 ppm	TWA: 50 ppm
2)-(2-methoxymethylet	TWA: 310 mg/m ³	TWA: 600 mg	g/m³			300 mg	g/m³ TWA	TW	A: 308 mg/m ³	TWA: 308 mg/m ³
hoxy)-		STEL: 150 p					Skin		pelle*	S*
34590-94-8		STEL: 900 m	g/m³							
		S*								
1,2-Propanediol	-	-		-			-		-	TWA: 7 mg/m ³
57-55-6										
Chemical name	Lithuania	Netherlands		Poland	_	ania	Spain	1	Sweden	United Kingdom
Propanol, 1(or	TWA: 308 mg/m ³	ΓWA: 300 mg/m ³	STEL	: 480 mg/m ³	TWA: 5	50 ppm	TWA: 50	ppm	TLV: 50 ppm	
2)-(2-methoxymethylet			TWA:	: 240 mg/m ³	TWA: 30	8 mg/m ³	TWA: 308 r		TLV: 300 mg/r	
hoxy)-	STEL: 450 mg/m ³				S	; *	vía dérm	ica*	STEL: 75 ppr	
34590-94-8	STEL: 75 ppm								0	m ³ STEL: 924 mg/m ³
	S*								skin	Sk*
1,2-Propanediol	TWA: 7 mg/m ³	-	TWA:	: 100 mg/m ³		-	-		-	TWA: 150 ppm
57-55-6										TWA: 474 mg/m ³
										TWA: 10 mg/m ³
										STEL: 450 ppm
										STEL: 1422
										mg/m³
										STEL: 30 mg/m ³

Revision Date: 21/12/2023

8.2. Exposure controls

Occupational exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection In case of insufficient ventilation wear suitable respiratory

equipment.

Eye Protection Safety glasses with side-shields.

Skin Protection Lightweight protective clothing.

Hand protection Impervious gloves.

Hygiene Measures Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash thoroughly after handling.

Revision Date: 21/12/2023

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance liquid

Odour little or no odor

Odour Threshold No information available

Values_ **Property** Remarks Method Density (g/L) 1030 - 1042 None known **Relative Density** 1.03 - 1.05Ha No information available None known Viscosity (cps) No information available None known Solubility(ies) No information available None known Water solubility No information available None known **Evaporation Rate** No information available None known No information available Vapour pressure @20 °C (kPa) None known Relative vapour density No information available None known 30 - 40Wt. % Solids None known 30 - 40 Vol. % Solids None known Wt. % Volatiles 60 - 70 None known Vol. % Volatiles 60 - 70None known **Boiling Point (°C)** 100 None known Freezing Point (°C) None known Melting Point (°C) No information available None known **Pour Point** No information available None known Flash Point (°C) Not applicable None known Flammability (solid, gas) No information available None known Upper flammability limit: No information available None known Lower flammability limit No information available None known **Autoignition Temperature (°C)** No information available None known **Decomposition Temperature (°C)** No information available None known Partition coefficient No information available None known **Explosive properties** No information available None known **Oxidising Properties** No information available None known

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Not Applicable.

10.2. Chemical stability

Chemical Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

W42300 - STAYS CLEAR ACRYLIC POLYURETHANE, LOW LUSTRE

Possibility of hazardous reactions None under normal conditions of use.

10.4. Conditions to avoid

Conditions to avoid Prevent from freezing.

10.5. Incompatible materials

Incompatible Materials No materials to be especially mentioned.

10.6. Hazardous decomposition products

Hazardous Decomposition Products

None under normal conditions of use.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

Inhalation There is no data available for this product.

Eye contactThere is no data available for this product.

Skin contact Repeated or prolonged skin contact may cause allergic

reactions with susceptible persons.

Revision Date: 21/12/2023

Ingestion There is no data available for this product.

Acute Toxicity

Component Information Caution - This mixture contains a substance not yet fully tested

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Propanol, 1(or	= 5.35 g/kg (Rat)	= 9500 mg/kg (Rabbit)	
2)-(2-methoxymethylethoxy)-			
34590-94-8			
1,2-Propanediol	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	
57-55-6			
1,2-Benzisothiazol-3(2H)-one	= 1020 mg/kg (Rat)	> 2000 mg/kg (Rat)	
2634-33-5			
3(2H)-Isothiazolone, 2-methyl-		= 200 mg/kg (Rabbit)	
2682-20-4			

Skin corrosion/irritationNo information available.

Eye damage/irritationNo information available.

Sensitisation May cause an allergic skin reaction.

Mutagenic Effects No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Revision Date: 21/12/2023

Legend

IARC - International Agency for Research on Cancer

Reproductive EffectsNo information available.Developmental EffectsNo information available.STOT - single exposureNo information available.STOT - repeated exposureNo information available.Neurological EffectsNo information available.

Target organ effects No information available.

Symptoms No information available.

Aspiration Hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

Chemical name	Algae/aquatic plants	Fish	Crustacea
Propanol, 1(or		LC50: >10000mg/L (96h,	LC50: =1919mg/L (48h, Daphnia
2)-(2-methoxymethylethoxy)-		Pimephales promelas)	magna)
34590-94-8			- '
1,2-Propanediol	EC50: =19000mg/L (96h,	LC50 41 - 47 mL/L Oncorhynchus	EC50 > 1000 mg/L (48 h)
57-55-6	Pseudokirchneriella subcapitata)	mykiss (96 h)	EC50 > 10000 mg/L (24 h)
		LC50 = 710 mg/L Pimephales	
		promelas (96 h)	
		LC50 = 51600 mg/L Oncorhynchus	
		mykiss (96 h)	
		LC50 = 51400 mg/L Pimephales	
		promelas (96 h)	

12.2. Persistence and degradability

Persistence / Degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Chemical name	Partition coefficient
Propanol, 1(or 2)-(2-methoxymethylethoxy)-	-0.064
34590-94-8	
1,2-Benzisothiazol-3(2H)-one	1.3

2634-33-5

12.4. Mobility in soil

Mobility in soil No information available.

Mobility in Environmental Media No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Propanol, 1(or 2)-(2-methoxymethylethoxy)- 34590-94-8	The substance is not PBT / vPvB
1,2-Propanediol 57-55-6	The substance is not PBT / vPvB PBT assessment does not apply
1,2-Benzisothiazol-3(2H)-one 2634-33-5	The substance is not PBT / vPvB
3(2H)-Isothiazolone, 2-methyl- 2682-20-4	The substance is not PBT / vPvB

12.6. Other adverse effects

Other adverse effects No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products Dispose of in accordance with the European Directives on

waste and hazardous waste.

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

EWC waste disposal No No information available

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

Revision Date: 21/12/2023

Section 14: TRANSPORT INFORMATION

IMDG Not regulated

RID Not regulated

ADR Not regulated

<u>ADN</u> Not regulated

IATA Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Propanol, 1(or 2)-(2-methoxymethylethoxy)-	RG 84
34590-94-8	
1,2-Propanediol	RG 84
57-55-6	
1,2-Benzisothiazol-3(2H)-one	RG 65
2634-33-5	

Revision Date: 21/12/2023

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AIIC No - Not all of the components are listed. Yes - All components are listed or exempt. **DSL: Canada EINECS: European Union Inventory of Existing** No - Not all of the components are listed.

Substances

ENCS No - Not all of the components are listed. **IECSC** No - Not all of the components are listed. **KECL** No - Not all of the components are listed. **PICCS** No - Not all of the components are listed. Yes - All components are listed or exempt.

TSCA: United States

Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

W42300 - STAYS CLEAR ACRYLIC POLYURETHANE, LOW LUSTRE

H227 - Combustible liquid

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and sources for dataData from internal and external sources

Prepared By Product Stewardship Department

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 **Revision Date: 21/12/2023**

800-225-5554

Issuing Date 21/12/2023

Revision Date: 21/12/2023

Revision Summary Initial Release

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet